



185

OUTBOARD
SPORT



Custom backlit Sea Ray gauges with no-glare night lighting adorn the helm.



Swivel bucket seats come standard; the captain's has a back-and-forth slider.



Curved backrests, molded armrests, and ergonomic grab handles make the bow a great place to ride.



185 OUTBOARD SPORT

SPECIFICATIONS

| | | |
|------------------------|-------------|---------|
| Overall Length: | | |
| W/STD. | | |
| EXTENDED SWIM PLATFORM | 18'0" | 5.5 M |
| Beam: | 7'6" | 2.30 M |
| Draft: OUTBOARD DOWN | 30" | 76.2 CM |
| Draft: OUTBOARD UP | 12.3" | 30.5 CM |
| Dry Weight: | 1,850 LBS | 840 KG |
| Fuel Capacity: | 20 GAL | 75.7 L |
| Max Persons/Weight: | 8/1,100 LBS | 499 KG |
| (MWC) Max Weight | | |
| Persons/Gear: | 1,700 LBS | 771 KG |
| Dead Rise: | 19° | 19° |

Our 185 Outboard Sport offers all the driving performance and hands-on satisfaction that outboard enthusiasts crave, combined with the premium comfort features that all boaters love. It's another bold addition to the Sea Ray Sport Boats series.

FEATURES

- Integral swim platform with ladder
- Ski/wakeboard locker with vinyl matting

MORE INFORMATION: Specs • PG. 66 Colors/Graphics • PG. 54 Canvas • PG. 58 Engine • PG. 62

The specification measurements are approximations and subject to variance. Some equipment shown may be optional and/or not CE-certified. Options and colors shown may not be available on current model year product.



Standard Layout



GEL-COAT OPTIONS



FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray® Thru-Bolted - Stainless Steel (6)
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Pearl
Hardware, Stainless Steel
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Resin, High-Performance Vinylester
Rub Rail, PVCw/Vinyl Insert
Ski Tow Eye, Stainless Steel
Storage, Anchor w/Hatch
Swim Platform, Integral w/Stainless Steel
Three-Step Swim Ladder & Grab Handle
Vent System, Engine Compartment - Integral
Windshield, Custom Three-Piece
Tempered/Tinted Curved Glass w/Walk-Thru

Canvas:

Canvas Storage Bag
Cockpit Cover
Tonneau Cover

Certifications:

Meets Applicable USCG& ABYC Standards
NMMA Certification

COCKPIT FEATURES

Armrests, Integral
Beverage Holders (7)
Dash w/Visor, Custom Soft-Touch
Floor, Finished Fiberglass
Glove Box, Lockable - Soft-Touch
Grab Handles
Outlet, 12V Accessory
Stereo, Sony® 12V AM/FM CD
w/Weatherproof Speakers (2)
Storage, Side Panels
Storage, Ski/Wakeboard w/Vinyl Matting & Fiberglass Lid
Stringer System, Fiberglass
Vinyl, Marine-Grade w/Mildew & UV Protection

Seating:

Aft Bench Seat
Bow Rider w/Removable Cushions & Storage Below
Bucket Seats (2), w/Sport Logo; Swivel Function; Slider on Helm

TECHNICAL FEATURES

Helm:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit
w/Low-Glare Night Lighting (Includes:
Fuel, Oil Pressure, Speedometer,
Tachometer w/LCD Hourmeter, Trim, Water
Temperature)
Shift & Throttle Lever w/Trim Switch &
Lanyard Stop Switch
Steering, Tilt Wheel
Steering Wheel, Custom-Padded
Switches, Illuminated Weatherproof Rockers
w/ISO Symbols
Tilt & Trim, Power

Electrical Systems:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/
Chafe Protection

Fuel System:

Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric
Sending Unit

STANDARD PROPULSION

Mercury® 115 hp Optimax, 2-Stroke
Outboard (115 hp - 86 kW)
Propeller, Aluminum, Black Max

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Gasoline Outboards:

Mercury 135 Optimax 2-Stroke w/Hydraulic
Steering (135 hp - 101 kW)

INDIVIDUAL OPTIONS

Canvas, Bimini Top w/Boot w/Stainless Steel
Ball & Socket Hardware
Canvas, Cockpit Cover/Tonneau Cover
w/Canvas Storage Bag
Carpet Liner, Snap-In
Depth Finder
Graphics, Two-Tone Gel Coat (Black, Yellow,
Red)
Ski Tow Tripod

Optional Seating Plan:

Bucket Seat, Helm, w/Sport Logo; Slider &
Swivel Functions
Port Back-to-Back Lounger
Aft Bench Seat

CE Option

* Some features and options may not be available when a boat is built for outside North America and/or has CE Certification.